UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/528,562	10/28/2005	Takehiko Nakano	266812US6PCT	6309
	10/528,562 10/28/2005 Takehiko Nakano 22850 7590 12/17/2009 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P.	EXAMINER		
1940 DUKE STREET			SHOLEMAN, ABU S	
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2437	
			NOTIFICATION DATE	DELIVERY MODE
			12/17/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

	Application No.	Applicant(s)			
	10/528,562	NAKANO ET AL.			
Office Action Summary	Examiner	Art Unit			
	ABU SHOLEMAN	2437			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>09/30</u> This action is FINAL . 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-4,6-14,16-19,21-23,25-26 is/are pe 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4,6-14,16-19,21-23,25 and 26 is/are 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine	vn from consideration. e rejected. e election requirement. r.	houther Francisco			
 10) ☐ The drawing(s) filed on 21 March 2005 is/are: a Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11) ☐ The oath or declaration is objected to by the Explanation 	drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 10/29/2009. 4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:					

Art Unit: 2437

DETAILED ACTION

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/10/2009 has been entered.
- 2. Claims 1, 3-4, 16, 18, 19, 21-23, and 26 are amended by the present amendment.

Response to Amendment

3. Applicant's arguments, see pages 1-6, filed on 09/30/2009, with respect to the rejection(s) of claim(s) 1, 3-4, 16, 18, 19, 21-23, and 26 under 35 U.S.C § 103(a), have been fully considered but are most in view of the new ground(s) of rejection.

Claim Objections

4. Claims 2, 9-11 and 17 are objected to because apparently they should be dependent upon claim 9.

As per claim 2, 9,10,11,17, this claim recites limitation "integer N times" on line 2. It is not defined.

Art Unit: 2437

As per claim 17, this claim recites limitation "K times" on line 2. It is not defined.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-4,6-14,16-19, 21-23 and 25-26 are rejected under 35 U.S.C 103(a) as being unpatentable over Heard et al (US 2006/0236363) (hereinafter Heard) in view of Dal Canto et al (US 2003/0217166) (hereinafter Dal) further in view of Patel (SU 6591364)(hereinafter Patel).

As per claim 1, Heard discloses " a data transmitting apparatus comprising:

"a command transmission transmitting unit configured to transmit a response request command to a data receiving apparatus" as (par 0074, the device initiates the challenge [a response request command] and sent to the gatekeeper);

"a control unit configured to receive a response message to the response request command from the data receiving apparatus" as (par 0074, the gatekeeper sends a response to the device),

"the response message including authentication data based on shared data shared with said data receiving apparatus" as (par 0074, the calculated value of response of shared key and challenge value);

"an expected value generation unit configured to generate an expected authentication value based on the shared data (par 0074, the gatekeeper compute the expected answer with shared key and challenge)

"an authentication unit configured to produce an authentication result for said data receiving apparatus based on the expected value generated by said expected value generation unit and said authentication data in the response message" as (par 0074-0075, the gatekeeper authenticates the device based on expected answer and the gatekeeper compute the expected answer with shared key and challenge, computed response includes shared key and challenge).

Heard fails to disclose "an expected value generation unit configured to generate an expected authentication value based on sequence number, the sequence number indicating an ordinal position of the response request command in a sequence of response request commands to be transmitted by the command transmission unit;

a measurement unit configured to measure a response time between transmitting the response request command and receiving the response message; and

a judgment whether unit configured to judge if a subsequent data transmission to said data receiving apparatus is granted based on the authentication result and the response time".

However, Dal discloses "a measurement unit configured to measure a response time between transmitting the response request command and receiving the response message (par 0059, user request for digital service, the round-trip delay or response time of user request and the received a response from the service center); and

a judgment whether unit configured to judge if a subsequent data transmission to said data receiving apparatus is granted based on the authentication result and the response time" (par 0059, authentication service authenticates a client device for having service form the service center. authentication service provides an authentication result of client device bases on client profile information which contains information relating to the client device type, attached peripheral devices, location, etc).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to implement the claimed invention by modifying the method of Heard, based on the teachings of Dal, because doing so, would improve authorization for services.

The combination of Heard and Dal fail to disclose "an expected value generation unit configured to generate an expected authentication value based on sequence number, the sequence number indicating an ordinal position of the response request command in a sequence of response request commands to be transmitted by the command transmission unit".

However, Patel discloses "an expected value generation unit configured to generate an expected authentication value based on sequence number, the sequence number indicating an ordinal position of the response request command in a sequence of response request commands to be transmitted by the command transmission unit" as (column 3, lines 47-59, column 4, lines 1-20, Mobile generates KCF ssda (Type, 0, Cm, Rn) [expected value] for authentication. Cm is the count value [sequence number], which is related to Rn that is send to the mobile as a challenge. Cm is incremented during the challenge response. This incremented value of Cm [counter] is an ordinal number [ordinal position] of the mobile device]. Type data is shared data between Mobile device and VLR. VLR calculates KCF ssda (Type, 0, Cm, Rn) [expected value] for mutually authentication).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to implement the claimed invention by modifying the method of Heard in view of Dal, based on the teachings of Patel, because doing so, would prevent unauthorized access for services.

As per claim 2, Heard in view of Dal in view of Patel disclose "said command transmission unit is further configured to transmit said response request command a maximum of N times" as (Patel, column 3, lines 47-59, column 4, lines 1-20, VLR sends Rn as a challenge [a response request command] to the mobile device. Rn

where is n represents times); "said control unit is further configured to receive the response messages from the data receiving apparatus for each of the N transmitted response request commands" as (Patel, column 3, lines 47-59, column 4, lines 1-20, VLR receives a response from the mobile); and "said authentication unit is further configured to produce authentication results based on said authentication data in each received response message" as (Patel, column 3, lines 47-59, column 4, lines 1-20, VLR authenticates Mobile device bases on Rn and Cm and Type [authentication data], this data has been exchanged via response message from mobile device).

As per claim 3, this claim is directed to a data transmission method and contains limitations that are substantially similar to those recited in claim 1 above, and accordingly is rejected for similar reasons.

As per claim 4, this claim is directed to a computer program and contains limitations that are substantially similar to those recited in claim 1 above, and accordingly is rejected for similar reasons.

As per claim 6, this claim is directed to a data receiving apparatus and contains limitations that are substantially similar to those recited in claim 1 above, and accordingly is rejected for similar reasons.

As per claim 7, Heard in view of Dal in view of Patel disclose "said shared data is a quasi random number transmitted from said data transmitting apparatus before said

Art Unit: 2437

response request command is transmitted" (Heard, par 0074, shared key [shared data] is transmitted before a challenge [response request command]); and

"said authentication data generation Unit is further configured to subject said quasi random number to a Keyed-Hash process to produce a Hash value that is used as said authentication data" (Heard, par 0074, key can be input to a hash algorithm as MD5 as a authentication data).

As per claim 8, Heard in view of Dal in view of Patel disclose "said authentication data generation unit is further configured to execute a Keyed-Hash process relative to said quasi random number and information specific to the information processing apparatus to produce a Hash value that is used as said authentication data" as (Patel, column 3, lines 47-59, column 4, lines 1-20, Keyed cryptographic function KCF to Rn and Type data that represents mobile registration, etc [information specific to the processing apparatus]. Hash of KCF is the authentication data).

As per claim 9, Heard in view of Dal in view of Patel disclose "said command receiving unit is further configured to receive said response request command from said data transmitting apparatus a maximum of N times" as (Patel, column 3, lines 47-59, column 4, lines 1-20, mobile receives Rn as challenge [response request command] from the VLR of n times); said" authentication data generation unit is further configured to execute said predetermined process relative to said shared data before a first one of said response request command commands is received from said

data transmitting apparatus and further configured to generate N sets of said authentication data corresponding to said N received response request Commands" as (Patel, column 3, lines 47-59, column 4, lines 1-20, VLR does KCF [predetermined process] on Type, Rn, Cm [shared data] and Mobile device does KCF [predetermined process] on Type, Rn, Cm [shared data]. Both devices compute n times of authentication data related to the Rn as a challenge); and "said transmission unit is further configured to transmit said response message generated by said response message generation unit to said data transmitting apparatus, said response message including the N sets of said authentication data in a sequence agreed beforehand with said data transmitting apparatus" as (Patel, column 3, lines 47-59, column 4, lines 1-20, mobile device sent response bases on challenge Rn of n times, response from mobile device sent authentication data to the VLR, authentication data includes Cm [a sequence] for both devices).

As per claim 10, Heard in view of Dal in view of Patel disclose "said authentication data generation unit is further configured to divide the data obtained by subjecting said shared data to said process into a plurality of data pieces and further configured to generate the N sets of said authentication data from the divided data" as (Patel, column 3, lines 47-59, column 4, lines 1-20, Mobile and VLR produces KCFssda (Type, 0, Cm, Rn) as authentication data of sets of Rn challenge from shared data Type[divided data between mobile and VLR]).

Art Unit: 2437

As per claim 11, Heard in view of Dal in view of Patel disclose "said authentication data generation means unit is further configured to generate the N sets of said authentication data based on data obtained at each process of repetitively executing said predetermined process relative to said shared data" as (Patel, column 3, lines 47-59, column 4, lines 1-20, Mobile and VLR produces KCFssda (Type, 0, Cm, Rn) as authentication data of sets of Rn challenge from shared data Type[divided data between mobile and VLR], Mobile and VLR would produces KCFssda (Type, 0, Cm, Rn) as an authentication data for each challenge [shared data] at any execution).

As per claim 12, Heard in view of Dal in view of Patel disclose "said transmission unit is further configured to transmit the response message to said transmitting apparatus when said response request command is received from the data transmitting apparatus, said response message containing new authentication data generated from said authentication data and information contained in said response request command" as (Patel, column 3, lines 47-59, column 4, lines 1-20, VLR sends Rn to Mobile and Mobile sends response to VLR with New authentication value [KCFssda(Type, 0, Cm, Rn)] for each Type, Cm and Rn, Rn [information] is as a response request command).

As per claim 13, this claim is directed to a data reception method and contains limitations that are substantially similar to those recited in claim 6 above, and accordingly is rejected for similar reasons.

As per claim 14, this claim is directed to a computer program and contains limitations that are substantially similar to those recited in claim 6 above, and accordingly is rejected for similar reasons.

As per claim 16, this claim is directed to an information transmitting apparatus and contains limitations that are substantially similar to those recited in claim 1 above, and accordingly is rejected for similar reasons.

As per claim 17, this claim is directed to an information transmitting apparatus and contains limitations that are substantially similar to those recited in claim 2 above, and accordingly is rejected for similar reasons.

As per claim 18, this claim is directed to a data transmission method and contains limitations that are substantially similar to those recited in claim 1 above, and accordingly is rejected for similar reasons.

As per claim 19, this claim is directed to a computer program and contains limitations that are substantially similar to those recited in claim 1 above, and accordingly is rejected for similar reasons.

Art Unit: 2437

As per claim 21, this claim is directed to a data receiving apparatus and

contains limitations that are substantially similar to those recited in claim 1 above, and

accordingly is rejected for similar reasons.

As per claim 22, this claim is directed to a data reception method and contains

limitations that are substantially similar to those recited in claim 1 above, and

accordingly is rejected for similar reasons.

As per claim 23, this claim is directed to a computer program and contains

limitations that are substantially similar to those recited in claim 1 above, and

accordingly is rejected for similar reasons.

As per claim 25, this claim is directed to a communication system and contains

limitations that are substantially similar to those recited in claim 1 above, and

accordingly is rejected for similar reasons.

As per claim 26, this claim is directed to a communication system and contains

limitations that are substantially similar to those recited in claim 1 above, and

accordingly is rejected for similar reasons.

Examiner Notes

Art Unit: 2437

7. Examiner cites particular columns and line numbers in the references as applied

to the claims below for the convenience of the applicant. Although the specified citations

are representative of the teachings in the art and are applied to the specific limitations

within the individual claim, other passages and figures may apply as well. It is

respectfully requested that, in preparing responses, the applicant fully consider the

references in entirety as potentially teaching all or part of the claimed invention, as well

as the context of the passage as taught by the prior art or disclosed by the examiner.

Conclusion

8. The following prior art made of record and not relied upon is cited to establish the

level of skill in the applicant's art and those arts considered reasonably pertinent to

applicant's disclosure. See MPEP 707.05(c).

9. The following reference teaches execution of trial data.

US 7058414

10. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Abu Sholeman whose telephone number is (571)270-

7314 and Fax number is (571)-270-8314. The examiner can normally be reached on

Monday through Friday 9:30 AM - 5:30 PM EST.

Art Unit: 2437

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Emmanuel Moise can be reached on (571)272-3865. The fax phone

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ABU SHOLEMAN/

Examiner, Art Unit 2437

/Emmanuel L. Moise/

Supervisory Patent Examiner, Art Unit 2437